







The Suex Advanced Diving Vehicles represent the cutting-edge technology of underwater mobility. Permormance, reliability, manoeuvrability, complete product range and the excellent after-market service are the cornerstones that make Suex undisputed leader in the underwater scooter market.

Diving a Suex ADV is an incredible experience, ensures both high level of manoeuvrability in overeahead environments and comfort during extensive cruising. Years of unrivalled experience behind the Suex scooters is woeldwide appreciated as well as the range of exclusive systems and patented devices.



XJOY 7

























Optional





TECHNICAL FEATURES

		RECREATIONAL	Use:
XJOY 7	Model:	70571	Code:
mm 790 (inch 31.1)	Width:	mm 790 (inch 31.1)	Length:
mm 200 (inch 7,67)	Body diameter:	mm 338 (inch 13,3)	Height:
kg 19 (lb 41.8)	Weight with battery:	kg 11,5 (lb 25,4)	Weight without battery:
N 170 (lb38)	Max static thrust:	Tecnopolymers/Polycarbonate	Material type:
min 60	Run time full trigger:	mt/min 55 (ft/min 180)	Top speed:
min 75	Run time cruise speed:	mt/min 45 (ft/min 148)	Cruise speed:
Neutral/Neutral	Buoyancy/ trim:	mt 80 (ft 260)	Maximum operational depth:
Pb	Battery type:	°C -5/+35 (°F +23/+95)	In-water usage temperature:
Wh 360	Nominal Capacity:	Volt 24	Nominal Voltage:
		Volt 110/220 50/60HZ	Charger power supply:

Price:

€ 1.600,00 + taxes

Dual Speed Control Colors

70710 Black-Black 70570 Yellow-Black 70571 White-Black 70574 Blue-Black

71063 Grey-Black - LIMITED EDITION

- Top speed is delivered with fully charged battery
- Diver : 70kg weight, 170cm high wet suit single 10lt tank horizontal trim
- Conditions : sea water no flow/current

XJ14





































TECHNICAL FEATURES

Use:	RECREATIONAL TECH / COMMERCIAL		
Code:	70969	Model:	XJ14
Length:	mm 790 (inch 31,1)	Width:	mm 790 (inch 31,1)
Height:	mm 340 (inch 13,4)	Body diameter:	mm 197 (inch 7,8)
Weight without battery:	kg 14 (lb 30,9)	Weight with battery:	kg 20 (lb 44,1)
Material type:	Aluminum body	Max static thrust:	N 220 (lb49,5)
Top speed:	mt/min 70 (ft/min 230)	Run time full trigger:	min 60
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 120
Test depth:	mt 300 (ft 984)	Maximum operational depth:	mt 200 (ft 656)
Buoyancy/ trim:	Neutral Trim and Buoyancy	In-water usage temperature:	°C -5/+35 (°F +23/+95)
Battery type:	Nimh	Nominal Voltage:	Volt 26,4
Nominal Capacity:	Wh 370	Charger power supply:	Volt 90/240 - 50/60 Hz
		Price:	€ 3.290,00 + taxes

DRIVe System Ready - Needs Li-Ion Battery



- Top speed is delivered with fully charged battery
- Diver : 70kg weight, 170cm high drysuit double 12 tanks horizontal trim Conditions : sea water no flow/current

XJ37



































TECHNICAL FEATURES

Use:	TECH / COMMERCIAL LONG RANGE / CAVE		
Code:	70970	Model:	XJ37
Length:	mm 790 (inch 31,1)	Width:	mm 790 (inch 31,1)
Height:	mm 340 (inch 13,4)	Body diameter:	mm 197 (inch 7,8)
Weight without battery:	kg 14 (lb 30,9)	Weight with battery:	kg 20 (lb 44,1)
Material type:	Aluminum body	Max static thrust:	N 330 (lb74,2)
Top speed:	mt/min 85 (ft/min 278)	Run time full trigger:	min 85
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 180
Test depth:	mt 300 (ft 984)	Maximum operational depth:	mt 200 (ft 656)
Buoyancy/ trim:	Neutral Trim and Buoyancy	In-water usage temperature:	°C -5/+35 (°F +23/+95)
Battery type:	LI-ion	Nominal Voltage:	Volt 25,2
Nominal Capacity:	Wh 940	Charger power supply:	Volt 90/240 - 50/60 Hz
		Price:	€ 4.790,00 + taxes



- Top speed is delivered with fully charged battery Diver : 70kg weight, 170cm high drysuit double 12 tanks horizontal trim
- Conditions : sea water no flow/current

XK1 - BLACK



































TECHNICAL FEATURES

Use:	TECH / COMMERCIAL LONG RANGE / CAVE		
Code:	70971	Model:	XK1 - Black
Length:	mm 975 (inch 38,4)	Width:	mm 975 (inch 38,4)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 197 (inch 7,8)
Weight without battery:	kg 17 (lb 37,48)	Weight with battery:	kg 25 (lb 55,12)
Material type:	Body in Nautical Aluminum	Max static thrust:	N 370 (lb83,2)
Top speed:	mt/min 100 (ft/min 328)	Run time full trigger:	min 100
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 330
Test depth:	mt 300 (ft 984)	Maximum operational depth:	mt 200 (ft 656)
Buoyancy/ trim:	Neutral Trim and Buoyancy	In-water usage temperature:	°C -5/+35 (°F +23/+95)
Battery type:	LI-ion	Nominal Voltage:	Volt 36
Nominal Capacity:	Wh 1340	Charger power supply:	Volt 90/240 - 50/60 Hz
		Price:	€ 5.980,00 + taxes



- Top speed is delivered with fully charged battery Diver : 70kg weight, 170cm high drysuit double 12 tanks horizontal trim
- Conditions : sea water no flow/current

XK1 - SILVER



































TECHNICAL FEATURES

Use:	TECH / COMMERCIAL LONG RANGE / CAVE		
Code:	70972	Model:	XK1 - Silver
Length:	mm 975 (inch 38,4)	Width:	mm 975 (inch 38,4)
Height:	mm 364 (inch 14,33)	Body diameter:	mm 197 (inch 7,8)
Weight without battery:	kg 17 (lb 37,48)	Weight with battery:	kg 25 (lb 55,12)
Material type:	Body in Nautical Aluminum	Max static thrust:	N 370 (lb83,2)
Top speed:	mt/min 100 (ft/min 328)	Run time full trigger:	min 100
Cruise speed:	mt/min 45 (ft/min 148)	Run time cruise speed:	min 330
Test depth:	mt 300 (ft 984)	Maximum operational depth:	mt 200 (ft 656)
Buoyancy/ trim:	Neutral Trim and Buoyancy	In-water usage temperature:	°C -5/+35 (°F +23/+95)
Battery type:	LI-ion	Nominal Voltage:	Volt 36
Nominal Capacity:	Wh 1340	Charger power supply:	Volt 90/240 - 50/60 Hz
		Price:	€ 5.980,00 + taxes



- Top speed is delivered with fully charged battery Diver : 70kg weight, 170cm high drysuit double 12 tanks horizontal trim
- Conditions : sea water no flow/current

ACCESSORIES



Cod. 70606 XK - XJ - XJOY LINE CRADLE

Support for transport, fits XK and XJOY line. Marine Materials, velcro strap.

Compatible with models: XJOY 7 | XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 85,00 + taxes



Cod. 70163 DPV BACKUP HARNESS

Heavy Duty Harness system for easy carrying of SUEX DPV's in critical environment or for long term trekking. - reinforced back protection - soft back pads - adjustable shoulder webbings incl. soft pads (2) - adjustable chest strap - adjustable hip webbing with soft pads -

Compatible with models: XJOY 7 | XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 380,00 + taxes



Cod. 70753 LIGHT TRANSPORT CASE

Light transport case for scooter: Fits XJOY2 XJOY7 XJOY14and XJOY37 DIMENSIONS AND WEIGHT: CM 93X44X52 KG 9,500

Compatible with models: XJOY 7 | XJ14 | XJ37 |

€ 350,00 + taxes



Cod. 70221 TOW HARNESS ALL MODELS

All Models

Compatible with models: XJOY 7 | XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 40,00 + taxes



Cod. 70336 EXPLORER TOW HARNESS

EXPLORER TOW HARNESS design based on the explorers suggestions. It is the ideal accessory for the long distances thanks to its optimal distribution of the traction allowing an easy control of the DPV.

Compatible with models: XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 85,00 + taxes



Cod. 70542 VIDEO CAMERA SUPPORT

Full Camera/Video Housing mounting Kit. Includes: - Universal Support cod. 70228 - Swivel Support cod. 70230 - Standard Insert cod. 70651 - Floats cod. 70543 WATCH THE VIDEO

Compatible with models: XJOY 7 | XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 350,00 + taxes



Cod. 70649 INSERT FOR SWIVEL MOUNT 70230 80X9MM

Insert for Swivel Support 70230 with larger diameter (80mm)

Compatible with models: XJOY 7 | XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 35,00 + taxes



Cod. 70449 INTRUMENT SUPPORT FLAT FOR HANDLES 70208-70209-70309

Instrument support for handles

Compatible with models: XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 84,00 + taxes



Cod. 70821 NBS BALANCED INSTRUMENT SUPPORT

Balanced instrument support. This support with the mounted instruments can be perfectly balanced in the water without modifying the scooter's buoyancy.

Compatible with models: XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 136,00 + taxes



Cod. 70869 POWER GRIP HANDLE XJOY7

- Wider hand-support compared to the standard Handle allows even more comfortable grip enhancing the already excellent ADV's drive - The special rubber grip guarantees the perfect grip in any driving situation. - T-fix insert for fixing accessories

Compatible with models: XJOY 7 |

€ 75,00 + taxes



Cod. 70536 COLD WATER FRONT HANDLE

Body handle resistant at low temperature and unbreakable. The wider space between the body and the handle allows a better handling even with thick gloves.

Compatible with models: XJOY 7 | XK1 - Black | XK1 - Silver |

€ 45,00 + taxes



Cod. 70042 CARRY HANDLE FOR XJ - XK LINE

Compatible with models: XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 40,00 + taxes



Cod. 70645 T- FIX INSERT FOR HANDLES

Accessory insert For handles

Compatible with models: XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 12,00 + taxes



Cod. 70547 TOW LEASH KIT ALL MODELS

Compatible with models: XJOY 7 | XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 25,00 + taxes



Cod. 70954 Cleaning and Lubrication Kit

The Kit contains: Vaseline grease Microfiber cloth Suex sticker

Compatible with models: XJOY 7 | XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 20,00 + taxes



Cod. 71013 BASIC MAINTENANCE GASKET KIT - ALL MODELS

BASIC MAINTENANCE GASKET KIT - ALL MODELS OR 60190 FOR ALUMINUM BODY – OR 60108 FOR PLASTIC BODY WARNING! • THE REPLACEMENT OF THE SEALING GASKETS AND O-RINGS SHOULD BE MADE ONLY BY SUEX AUTHORIZED PERSONNEL • THE REPLACEMENT OF THE SEALING GASKETS AND ORINGS MADE BY

Compatible with models: XJOY 7 | XJ14 | XJ37 | XK1 - Black | XK1 - Silver |

€ 95,00 + taxes



Cod. 70220 BATTERY PACK XJOY7 24V 15AH SLA

Compatible with models: XJOY 7 |

€ 180,00 + taxes



Cod. 70219 Charger XJOY 7

Compatible with models: XJOY 7 |

€ 90,00 + taxes



Cod. 70323 BATTERY PACK XJ14 26.4V 14AH NIMH

Nimh battery pack 26.4V 14Ah is assembled with built-in cut-off. Cables and connectors included. Use proper charger only 70088 CB Nimh

Compatible with models: XJ14 |

€ 450,00 + taxes



Cod. 70088 CHARGER XJ14

Computerized battery charger for Nimh batteries 14Ah and 16 Ah. 110/220Volts 50/60Hz Fits als HDVT16 and Zeuxo 16

Compatible with models: XJ14 |

€ 150,00 + taxes



Cod. 71058 CONVERSION KIT NIMH 37

NiMH conversion Kit for XJ37 The Kit includes the NIMH battery pack (360Wh) and charger. With the Nimh you can transport the XJ37 on a passenger craf as a NON DANGEROUS ITEM

Compatible with models: XJ37 |

€ 625,00 + taxes



Cod. 71002 BATTERY PACK XJ37 25.2V 27AH -LIION 940WH

Li-ion Battery Pack for XJOY37 with DRIVe System Nominal Voltage 25,2V Nominal Capacity 940Wh

Compatible with models: XJ37 |

€ 1.600,00 + taxes



Cod. 70952 CB LI-ION XJ37

Charger for XJ37

Compatible with models: XJ37 |

€ 300,00 + taxes



Cod. 71003 BATTERY PACK XK1 36V 37AH LIION 1340WH

PANASONIC Li-ion Battery pack for XK1 with DRIVe System

Compatible with models: XK1 - Black | XK1 - Silver |

€ 2.100,00 + taxes



Cod. 70953 LI-ION CHARGER FOR XK

Charger for LI-ION Battery XK1 and XK2 :

Compatible with models: XK1 - Black | XK1 - Silver |

€ 310,00 + taxes

Pricing:

Pricing does not include taxes (VAT) or shipping and packaging Pricing is valid for the EU countries. For other countries please contact directly our Dealers or Distributors.

Please note that all pricing is in Euros You must convert the Euro pricing we provide to your local or federal currency.



DRIVe Suex DRIVe System ™



Fastening device Suex Patented Latchless Fastening Device



Main Switch Main Switch



Proplock Propeller Proplock Propeller



Speed Adjustment Speed Adjustment



Battery Gauge Battery Gauge



By-pass System By-pass System



Easy Trim EASY TRIM



Easy Inspect
Esy to Inspect



New Handle Design New Handle Design



Battery and Charger Design and QualityBattery and Charger Design and Quality



Sealed Motor CompartmentSealed Motor Compartment



NBS - Neutral Buoyancy System Neutral Buoyancy System.



Made Salt Resistant Made Salt Resistant



Motor Protection Motor Protection



Battery ProtectionBattery Protection System



Certifications











The Suex Advanced
Diving Vehicles,
the cutting-edge
technology of
underwater mobility.



Suex srl - Via Roma, 261/35

31020 Villorba (TV)

Tel.: +39 0422 444 849

Fax: +39 0422 620 604 Email: info@suex.it

www.suex.it